

Species list for Conitor Copse.

| Scientific name | Common name |
|----------------------------------|-------------------------|
| <i>Acer campestre</i> | Field Maple |
| <i>Adoxa moschatellina</i> | Moschatel |
| <i>Ajuga reptans</i> | Bugle |
| <i>Alliaria petiolata</i> | Garlic Mustard |
| <i>Allium ursinum</i> | Ramsons |
| <i>Anthriscus sylvestris</i> | Cow Parsley |
| <i>Arctium minus</i> | Lesser Burdock |
| <i>Arum maculatum</i> | Lords-And-Ladies |
| <i>Asplenium trichomanes</i> | Maidenhair Spleenwort |
| <i>Bellis perennis</i> | Daisy |
| <i>Betula pendula</i> | Silver Birch |
| <i>Carex sylvatica</i> | Wood-Sedge |
| <i>Cirsium arvense</i> | Creeping Thistle |
| <i>Cirsium vulgare</i> | Spear Thistle |
| <i>Conium maculatum</i> | Hemlock |
| <i>Conopodium majus</i> | Pignut |
| <i>Cornus sanguinea</i> | Dogwood |
| <i>Corylus avellana</i> | Hazel |
| <i>Crataegus monogyna</i> | Hawthorn |
| <i>Dactylis glomerata</i> | Cock's-Foot |
| <i>Dactylorhiza fuchsii</i> | Common Spotted-Orchid |
| <i>Digitalis purpurea</i> | Foxglove |
| <i>Dryopteris affinis</i> | Scaly Male Fern |
| <i>Dryopteris carthusiana</i> | Narrow Buckler-Fern |
| <i>Dryopteris dilatata</i> | Broad Buckler-Fern |
| <i>Dryopteris filix-mas</i> agg. | Male Fern |
| <i>Euonymus europaeus</i> | Spindle |
| <i>Euphorbia amygdaloides</i> | Wood Spurge |
| <i>Fragaria vesca</i> | Wild Strawberry |
| <i>Fraxinus excelsior</i> | Ash |
| <i>Galium aparine</i> | Cleavers |
| <i>Galium odoratum</i> | Woodruff |
| <i>Geranium robertianum</i> | Herb-Robert |
| <i>Geum urbanum</i> | Herb Bennet |
| <i>Glechoma hederacea</i> | Ground-Ivy |
| <i>Hedera helix</i> | Ivy |
| <i>Holcus lanatus</i> | Yorkshire-Fog |
| <i>Hyacinthoides non-scripta</i> | Bluebell |
| <i>Hypericum pulchrum</i> | Slender St. John's-Wort |
| <i>Ilex aquifolium</i> | Holly |
| <i>Iris foetidissima</i> | Stinking Iris |
| <i>Lamiastrum galeobdolon</i> | Yellow Archangel |
| <i>Lamium purpureum</i> | Red Dead-Nettle |
| <i>Lolium perenne</i> | Perennial Rye-Grass |
| <i>Lonicera periclymenum</i> | Honeysuckle |
| <i>Luzula pilosa</i> | Hairy Wood-Rush |

| Scientific name | Common name |
|--------------------------------|---------------------------|
| <i>Mercurialis perennis</i> | Dog's Mercury |
| <i>Milium effusum</i> | Wood Millet |
| <i>Moehringia trinervia</i> | Three-Nerved Sandwort |
| <i>Orchis mascula</i> | Early-Purple Orchid |
| <i>Phyllitis scolopendrium</i> | Hart's-Tongue |
| <i>Phylloscopus collybita</i> | Chiffchaff |
| <i>Plantago lanceolata</i> | Ribwort Plantain |
| <i>Plantago major</i> | Greater Plantain |
| <i>Platanthera chlorantha</i> | Greater Butterfly-Orchid |
| <i>Poa annua</i> | Annual Meadow-Grass |
| <i>Polypodium vulgare</i> agg. | Polypody |
| <i>Polystichum setiferum</i> | Soft Shield-Fern |
| <i>Primula vulgaris</i> | Primrose |
| <i>Prunus spinosa</i> | Blackthorn |
| <i>Quercus robur</i> | Pedunculate Oak |
| <i>Ranunculus ficaria</i> | Lesser Celandine |
| <i>Ranunculus repens</i> | Creeping Buttercup |
| <i>Rosa arvensis</i> | Field Rose |
| <i>Rosa canina</i> agg. | Dog Rose |
| <i>Rubus fruticosus</i> agg. | Bramble |
| <i>Rumex crispus</i> | Curled Dock |
| <i>Rumex obtusifolius</i> | Broad-Leaved Dock |
| <i>Rumex sanguineus</i> | Wood Dock |
| <i>Sambucus nigra</i> | Elder |
| <i>Sanicula europaea</i> | Sanicle |
| <i>Silene dioica</i> | Red Campion |
| <i>Stellaria media</i> | Common Chickweed |
| <i>Tamus communis</i> | Black Bryony |
| <i>Taraxacum</i> | Dandelion Agg. |
| <i>Taxus baccata</i> | Yew |
| <i>Trifolium repens</i> | White Clover |
| <i>Urtica dioica</i> | Common Nettle |
| <i>Veronica chamaedrys</i> | Germander Speedwell |
| <i>Veronica hederifolia</i> | Ivy-Leaved Speedwell agg. |
| <i>Viburnum opulus</i> | Guelder-Rose |
| <i>Viola riviniana</i> | Common Dog-Violet |

Appendix 3

Species list for Dornafield Cross (E).

| Scientific name | Common name |
|----------------------------------|---------------------------|
| <i>Acer pseudoplatanus</i> | Sycamore |
| <i>Adoxa moschatellina</i> | Moschatel |
| <i>Agrostis capillaris</i> | Common Bent |
| <i>Alliaria petiolata</i> | Garlic Mustard |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal Grass |
| <i>Anthriscus sylvestris</i> | Cow Parsley |
| <i>Arum maculatum</i> | Lords-And-Ladies |
| <i>Brachypodium sylvaticum</i> | False-Brome |
| <i>Capsella bursa-pastoris</i> | Shepherd's-Purse |
| <i>Carex sylvatica</i> | Wood-Sedge |
| <i>Cerastium fontanum</i> | Common Mouse-Ear |
| <i>Chaerophyllum temulum</i> | Rough Chervil |
| <i>Circaea lutetiana</i> | Enchanter's-Nightshade |
| <i>Cirsium vulgare</i> | Spear Thistle |
| <i>Conopodium majus</i> | Pignut |
| <i>Corylus avellana</i> | Hazel |
| <i>Crataegus monogyna</i> | Hawthorn |
| <i>Dactylis glomerata</i> | Cock's-Foot |
| <i>Dactylorhiza fuchsii</i> | Common Spotted-Orchid |
| <i>Festuca ovina</i> agg. | Sheep's Fescue agg. |
| <i>Filipendula ulmaria</i> | Meadowsweet |
| <i>Fraxinus excelsior</i> | Ash |
| <i>Galium aparine</i> | Cleavers |
| <i>Geranium molle</i> | Dove's-Foot Crane's-Bill |
| <i>Geranium robertianum</i> | Herb-Robert |
| <i>Geum urbanum</i> | Herb Bennet |
| <i>Glechoma hederacea</i> | Ground-Ivy |
| <i>Hedera helix</i> | Ivy |
| <i>Heracleum sphondylium</i> | Hogweed |
| <i>Holcus lanatus</i> | Yorkshire-Fog |
| <i>Holcus mollis</i> | Creeping Soft-Grass |
| <i>Hyacinthoides non-scripta</i> | Bluebell |
| <i>Hypericum perforatum</i> | Perforate St. John's-Wort |
| <i>Ilex aquifolium</i> | Holly |
| <i>Iris foetidissima</i> | Stinking Iris |
| <i>Lamium purpureum</i> | Red Dead-Nettle |
| <i>Lapsana communis</i> | Nipplewort |
| <i>Ligustrum vulgare</i> | Wild Privet |
| <i>Lonicera periclymenum</i> | Honeysuckle |
| <i>Mercurialis perennis</i> | Dog's Mercury |
| <i>Narcissus pseudonarcissus</i> | Daffodil |
| <i>Phyllitis scolopendrium</i> | Hart's-Tongue |
| <i>Plantago lanceolata</i> | Ribwort Plantain |
| <i>Polypodium vulgare</i> agg. | Polypody |
| <i>Polystichum setiferum</i> | Soft Shield-Fern |
| <i>Potentilla anserina</i> | Silverweed |

| Scientific name | Common name |
|------------------------------|---------------------------|
| <i>Potentilla erecta</i> | Tormentil |
| <i>Primula vulgaris</i> | Primrose |
| <i>Prunus spinosa</i> | Blackthorn |
| <i>Quercus petraea</i> | Sessile Oak |
| <i>Ranunculus acris</i> | Meadow Buttercup |
| <i>Ranunculus ficaria</i> | Lesser Celandine |
| <i>Ranunculus repens</i> | Creeping Buttercup |
| <i>Rosa arvensis</i> | Field Rose |
| <i>Rubus fruticosus</i> agg. | Bramble |
| <i>Rumex acetosa</i> | Common Sorrel |
| <i>Rumex crispus</i> | Curled Dock |
| <i>Sambucus nigra</i> | Elder |
| <i>Scrophularia nodosa</i> | Common Figwort |
| <i>Silene dioica</i> | Red Campion |
| <i>Stellaria media</i> | Common Chickweed |
| <i>Taraxacum</i> | Dandelion Agg. |
| <i>Urtica dioica</i> | Common Nettle |
| <i>Veronica chamaedrys</i> | Germander Speedwell |
| <i>Veronica hederifolia</i> | Ivy-Leaved Speedwell agg. |
| <i>Veronica montana</i> | Wood Speedwell |
| <i>Viola odorata</i> | Sweet Violet |

Number of species: 67